

Guide to Achieving Apple Export MRLs - October 2010

1. The information contained in this document is provided only as a guide to assist industry members in complying with maximum residue limits (MRLs) in respect of apples in the listed countries. The data must not be relied upon as being true and accurate data.
2. APAL will use all reasonable endeavours to review and amend the data contained in this document from time to time in accordance with information obtained from domestic and international regulatory authorities and agrochemical companies. However, the actual specified MRLs and export withholding period for each country is subject to change from time to time. Actual MRLs must be independently verified before the export of apples.
3. It is strongly recommended that the information contained in this document be used in conjunction with residue monitoring to ensure compliance with actual MRLs.
4. Growers should maintain accurate and detailed records of all chemicals applied to fruit. It is strongly recommended that farmers consult product labels before application as State and/or Territory requirements may vary from time to time.
5. Herbicide details have not been included, as contact with fruit should not occur during herbicide application.
6. MRLs for various export destinations MRL tables can be found at <http://www.apal.org.au/> or <http://www.daff.gov.au/agriculture-food/nrs/industry-info/mrl/pome-fruit>

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Table of Contents

Insecticides	3
Fungicides	9
Plant Growth Regulators	14

LEGEND

Food Standards Australia New Zealand (FSANZ) MRLs are used as the default Australian MRL unless otherwise indicated.

Signifies that an Australian Pesticides & Veterinary Medicines Authority (APVMA) MRL has been used in the absence of a FSANZ MRL

* Signifies an MRL set at the limit of quantitation (LOQ)

NR - Indicates that a withholding period is not required

NS - Indicates that a withholding period has not been set.

♣ Japanese Positive list MRL System came into effect on May 29th 2006.

Malaysia: In the absence of an MRL, *may* defer to Codex. In the absence of a Codex MRL a default of 0.01 mg/kg applies.

Singapore: In the absence of an MRL defers to Codex

Harmonised EU MRLs came into effect September 2008

NB: Active ingredients are listed alphabetically. Example of trade names provided does not signify specific product endorsement.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
abamectin (Vertimec)	14	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 28 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days
alpha- cypermethrin (Fastac)	14	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Do not use post-flowering.	Export WHP - 14 days	Do not use post-flowering.	Export WHP - 35 days
azinphos-methyl (Gusathion)	14	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 28 days.	Do not use post-flowering.	Export WHP to 14 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 28 days.	Export WHP - 14 days
bifenazate (Acramite)	7	Export WHP - 90 days.	Export WHP - 90 days	Export WHP - 90 days	Export WHP - 90 days	Export WHP - 90 days	Export WHP - 90 days	Export WHP 7 days	Export WHP - 90 days	Export WHP - 90 days
bifenthrin (Talstar)	NS	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
carbaryl (Bugmaster)	3	Export WHP 110 days.	Export WHP 110 days.	Export WHP 3 days.	Export WHP 110 days.	Export WHP 28 days.	Do not use post-flowering	Export WHP 70 days.	Export WHP 3 days.	Export WHP 3 days.
chlorantraniliprole (Altacor)	14	Export WHP - 14 days	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 14 days.	Export WHP - 14 days	Export WHP - 14 days

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
chlorfenapyr (Secure)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 14 days	Do not use post-flowering.	Do not use post-flowering.
chlorpyrifos (Lorsban)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP - 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Do Not use post-flowering.	Do not use post-flowering.
clofentezine (Apollo)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP - 21 days.	Export WHP 21 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.
clothianidin (Samurai)	21	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 70 days.
diazinon (Diazinon)	14	Export WHP - 28 days.	Export WHP - 28 days.	Export WHP - 14 days.	Do not use post-flowering	Export WHP 14 days.	Do not use post-flowering.	Export WHP - 42 days	Export WHP 14 days.	Export WHP 14 days.
dicofol (Kelthane)	7	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 7 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 7 days.	Export WHP 35 days.	Export WHP 7 days.	Export WHP 35 days.
dimethoate (Saboteur)	7	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 28 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 28 days.	Do not use post-flowering.	Export WHP 28 days.	Export WHP 28 days

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan [†]	USA	Canada
dimethoate Post Harvest (Saboteur)	NS	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.
endosulfan [†](Endosulfan)	28	Do not use post-flowering	Export WHP 42 days.	Export WHP 28 days.	Export WHP 42 days.	Do not use post-flowering.	Export WHP 28 days.	Export WHP 42 days.	Export WHP 42 days.	Export WHP 28 days.
etoxazole (Paramite)	21	Export WHP 56 days.	Export WHP 56 days.	Export WHP 56 days.	Export WHP 21 days.	Export WHP 56 days.	Export WHP 56 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.
fenbutatin oxide (Torque)	2	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP - 28 days.	Export WHP - 28 days.	Do not use post-flowering	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.
fenoxycarb (Insegar)	14	Do not use post-flowering.	Do not use post flowering.	Do not use post-flowering.	Export WHP 42 days	Do not use post-flowering.	Do not use post flowering.	Export WHP 42 days	Do not use post flowering.	Do not use post flowering.
fenthion (Lebaycid)	7	Do not use post-flowering.	Do not use post-flowering.	Export WHP 7 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 7 days.	Do not use post-flowering.	Do not use post-flowering.
fluvalinate (tau) (Mavrik)	NR	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	NR	Do not use post-flowering.	Do not use post-flowering.	NR	Do not use post-flowering.	Do not use post-flowering.

NR - Not Required NS - Not Set

Table of Contents

[†] **The registrations of endosulfan have been cancelled in Australia. Use of remaining stocks is permitted with a 2 year period of grace.**

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
hexythiazox (Calibre)	3	Export WHP 21 days	Export WHP 21 days	Export WHP 42 days	Export WHP 3 days	Export WHP 21 days	Export WHP 42 days	Export WHP 3 days.	Export WHP 42 days.	Export WHP 42 days
imidacloprid (Confidor)	NS	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment
indoxacarb (Avatar)	14	Do not use post- flowering.	Do not use post- flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
maldison (Maldison, Malathion)	3	Export WHP 28 days.	Export WHP 28 days.	Export WHP 3 days.	Export WHP 28 days.	Do not use post-flowering.	Export WHP 3 days.	Export WHP 28 days.	Export WHP 3 days.	Export WHP 3 days.
methidathion (Supracide)	14	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 14 days.	Do not use post-flowering.	Export WHP - 14 days.
methomyl (Lannate)	1	Export WHP 1 days.	Do not use post- flowering.	Export WHP 1 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 1 days.	Export WHP 1 days.	Export WHP 21 days.
methoxyfenozide (Prodigy)	14	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 14 days.	Export WHP 42 days	Export WHP 42 days

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan [*]	USA	Canada
oxythioquinox (Morestan)	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR
parathion-methyl (Folidol M500)	14	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Export WHP 42 days (EC).	Export WHP 42 days (EC)	Export WHP 42 days (EC)	Do not use post- flowering.	Do not use post- flowering.
parathion-methyl (Folidol 450 CS Penncap M)	14	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Export WHP 60 days (CS)	Export WHP 60 days (CS).	Export WHP 60 days (CS).	Do not use post- flowering.	Do not use post- flowering.
pirimicarb (Pirimor)	2	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Do not use post- flowering.	Do not use post- flowering.	Export WHP 2 days.	Do not use post- flowering.	Export WHP 2 days.
propargite (Omite)	7	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 84 days.	Export WHP 84 days.	Export WHP 7 days	Export WHP 84 days.	Export WHP 7 days.
pyridaben (Sanmite)	1	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Export WHP 1 day.	Export WHP 1 day.	Do not use post- flowering.	Export WHP 1 days.	Export WHP 1 days.	Export WHP 1 days.
spinetoram (Delegate)	7	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Export WHP 7 days.	Do not use post- flowering.	Do not use post- flowering.	Do not use post- flowering.	Export WHP 7 days.	Export WHP 7 days.

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
spinosad (Success)	3	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 3 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 3 days.	Export WHP 7 days.	Export WHP 7 days.
tebufenozide (Mimic)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days	Export WHP 35 days	Do not use post-flowering.	Export WHP 21 days.	Export WHP 21 days	Export WHP 21 days.
tebufenpyrad (Pyranica)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering.
thiacloprid (Calypso)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 14 days.	Do not use post-flowering.	Do not use post-flowering.
trichlorfon (Dipterex)	2	Do not use post-flowering.	Do not use post-flowering.	Export WHP 2 days	Export WHP 2 days.	Do not use post-flowering.	Export WHP 2 days	Export WHP 2 days	Do not use post-flowering.	Do not use post-flowering.

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
boscalid (Pristine)	28	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days.	Do not use post-flowering.	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days.
bupirimate (Nimrod)	7	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 7 days	Do not use post-flowering.	Export WHP 21 days.	Do not use post-flowering.	Do not use post-flowering.
captan (Captan)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 35 days	Export WHP 7 days.	Export WHP 7 days	Export WHP 28 days	Export WHP 7 days	Export WHP 21 days
carbendazim [Ⓢ] <i>Foliar</i>	7	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Do not use post-flowering.	Export WHP 21 days	Export WHP 7 days	Export WHP 21 days	Export WHP 7 days	Export WHP 7 days
carbendazim <i>Post-Harvest</i>	NS	Do not use on export fruit.	Do not use on export fruit.	Do not use on export fruit.	Do not use on export fruit.	Do not use on export fruit.	NR	Do not use on export fruit.	Do not use on export fruit.	NR
cyprodinil (Chorus)	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.

NR - Not Required NS - Not Set

Table of Contents

Ⓢ Carbendazim use suspended by APVMA from July 2010.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan [*]	USA	Canada
difenoconazole (Bogard)	28	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 77 days	Export WHP 28 days	Export WHP 28 days	Export WHP 77 days
dithianon (Delan)	21	Export WHP 21 days	Export WHP 21 days.	Do not use post-flowering.	Export WHP 21 days	Do not use post-flowering.	Do not use post-flowering.	Export WHP 21 days	Do not use post-flowering.	Do not use post-flowering.
dodine acetate (Syllit)	5	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days	Do not use post-flowering.	Do not use post-flowering.	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days
fenarimol (Rubigan)	14	Export WHP 14 days.	Export WHP 14 days.	Do not use post-flowering.	Export WHP 14 days.	Export WHP 14 days.	Do not use post-flowering	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.
fludioxonil (Scholar)	NR	NR	NR	NR	NR	Do not use on export fruit.	Do not use on export fruit.	NR	NR	NR
fluquinconazole (Vision)	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan [*]	USA	Canada
flusilazole (Nustar)	14	Export WHP 14 days.	Export WHP - 14 days.	Export WHP - 42 days.	Export WHP 42 days.	Export WHP 14 days.	Export WHP 42 days.	Export WHP 14 days.	Export WHP 42 days.	Export WHP 14 days.
fosetyl-AI (Aliette)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 14 days.*	Do not use post-flowering.	Do not use post-flowering.	Export WHP 14 days.	Export WHP 14 days.	Do not use post-flowering.
hexaconazole (Viva)	7	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 7 days	Export WHP 7 days	Export WHP 42 days	Export WHP 7 days	Export WHP 42 days	Export WHP 42 days
imazalil Post Harvest (Fungaflor)	NS	NR	NR	NR	Do not use on export fruit.	NR	Do not use on export fruit.	NR	Do not use on export fruit.	Do not use on export fruit.
iprodione Post Harvest (Rovral)	Nil	NR	NR	NR	NR	NR	Do not use on export fruit.	NR	Do not use on export fruit.	Do not use on export fruit.
kresoxim methyl (Stroby)	42	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days.	Export WHP 42 days	Export WHP 42 days	Do not use post-flowering.	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days

NR - Not Required NS - Not Set

Table of Contents

^{*} EU Temporary MRL – SANCO 1825/2007

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
mancozeb (Mancozeb)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 28 days	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.
metiram (Polyram)	21	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 28 days	Do not use post-flowering.	Export WHP 21 days	Export WHP 35 days	Export WHP 21 days
myclobutanil (Systhane)	21	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days.	Export WHP 21 days	Export WHP 21 days	Do not use post-flowering.	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days
penconazole (Topas)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP 35 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 35 days.	Export WHP 14 days.	Export WHP 35 days.	Export WHP 35 days.
pyraclostrobin (Pristine)	28	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Do not use post-flowering.	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days
pyrimethanil (Vision)	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall	Do not use post-petal fall.	Do not use post-petal fall	Do not use post-petal fall.

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
thiabendazole Post Harvest (Tecto)	NR	Do not use on export fruit.	Do not use on export fruit.	NR	Do not use on export fruit.	Do not use on export fruit.	Do not use on export fruit.	Do not use on export fruit.	Do not use on export fruit.	NR
thiram (Thiragranz)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 14 days	Export WHP 14 days.	Do not use post-flowering.	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days
triforine (Saprol)	1	Export WHP 1 days	Export WHP 1 days	Export WHP 1 days	Export WHP 1 days	Export WHP 1 days	Do not use post-flowering.	Export WHP 1 days	Do not use post- flowering.	Do not use post- flowering.
trifloxystrobin (Flint)	35	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days.	Export WHP 70 days	Export WHP 35 days	Export WHP 35 days	Export WHP 70 days
ziram (Ziram, Fulasin)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 14 days	Do not use post-flowering.	Do not use post-flowering.	Export WHP 7 days.	Export WHP 7 days	Export WHP 7 days

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Growth Regulators:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
ammonium thiosulfate (Thin-It)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
aviglycine (Retain)	7	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	Export WHP 7 days	Export WHP 7 days	No information. Seek manufacturer advice
6- benzyladenine (CyLex)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice
cyanamide (Dormex)	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
diphenylamine (DPA)	NS	NR	NR	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	Do not use on export crops.	NR	NR	NR
ethephon (Ethrel)	7	Export WHP 7 days	Export WHP 7 days	Do not use post- flowering.	Export WHP 7 days	Export WHP 7 days	Do not use post-flowering.	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days
Gibberellic acid (Cytolin)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	NR	NR	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice
1- methylcyclopro pene (Smartfresh)	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Apple - Export MRLs Guide October 2010

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	EU (UK)	Taiwan	India	Japan*	USA	Canada
1- naphthylacetic acid (NAA)	1	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	Export WHP 1 day.	Export WHP 1 day.	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
paclobutrazol (Cultar)	21	Export WHP - 105 days.	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 42 days.	Export WHP - 105 days	Export WHP - 105 days
prohexadione (Regalis)	56	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.	Export WHP - 56 days.

NR - Not Required NS - Not Set

Table of Contents

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.